

PUBLIC NOTICES

PUBLIC NOTICES



Notice under Article 30(7) of the Environmental Protection Agency Act, 1992 (Control of Volatile Organic Compound Emissions Resulting from Petrol Storage and Distribution) Regulations, 1997.

The Agency granted VOC permits, subject to conditions, on 20th December 2019, to the below listed facilities, for the storage, loading and unloading of petrol.

Reg No	Applicant	Address of Installation
V0019-06	Tedcastles Oil Products, Block P1, Eastpoint Business Park, Dublin 3	Cooltrim Oil, Cooltrimegish, Tullynahinera, Co. Monaghan
V0031-04	Tedcastles Oil Products, 1 Promenade Road, Dublin 3.	Lakeland Fuels, Loughsheever Corporate Park, Robinstown, Mullingar, Co. Westmeath.
V0033-03	Tedcastles Oil Products, Block P1, Eastpoint Business Park, Dublin 3	TOP Oil, Galway Road, Clifden, Co. Galway
V0034-03	Tedcastles Oil Products, Block P1, Eastpoint Business Park, Dublin 3	TOP Oil, Crossmolina Road, Ballina, Co. Mayo.
V0035-03	Tedcastles Oil Products, Block P1, Eastpoint Business Park, Dublin 3	TOP Oil, Moneen Road, Castlebar, Co. Mayo.

The validity of a decision taken by the EPA may only be questioned by making an application for Judicial Review under Order 84 of the Rules of the Superior Courts (as amended). Order 84 rule 21(1) of the Rules of the Superior Courts (as amended) provides that any application for judicial review must be made within three months of the decision of the EPA. The decision, including the reasons and considerations on which the decision is based, the permit, conditions, and any subsequent updates may be inspected at EPA Headquarters, P.O. Box 3000, Johnstown Castle Estate, Co. Wexford (Tel: Lo Call 1890 33 55 99 or 053 9160600) or obtained there on payment of a fee of €3.80. They are also available to view on the Agency's website at <http://www.epa.ie/terminal/four/VOC/index.jsp>. Information on the public participation process including Judicial Review process is available on the Agency's website at <http://www.epa.ie/licensing/air/voc/permitting/>

The Minister for Agriculture, Food and the Marine, Michael Creed TD, has issued the following Fisheries Management Notices under section 12 of the Sea-Fisheries and Maritime Jurisdiction Act 2006

FISHERIES MANAGEMENT NOTICE NO'S. 1, 2, 3 & 4 OF 2020.

Copies of the above Notices are available in Iris Oifigiúil or on the Department's website at the following addresses:

<https://www.agriculture.gov.ie/seafood/fisheriesmanagementnotices/2020/>
fisheriesmanagementnotices.2020/

www.agriculture.gov.ie
@agriculture_ie

An Roinn Talmhaíochta, Bia agus Mara
Department of Agriculture, Food and the Marine

SITUATIONS VACANT

LUCEY TRANSPORT LTD has vacancies for Artic Shunter Drivers based in our Rathcoole & Kilmore Depots. Duties and requirements as follows; provide continuous artic trailer supply to service Hi-speed production line offtake. Shunt empty/full trailers to/from trailer designated areas. Deliver laden trailers from trailer parks to company warehouses. Place at dock/kievelers reload returns to trailer park. Check rear trailer doors and Adhere to the Companies Health & Safety Policy. Valid driver qualification card with up to date CPC. Full clean category CE or CE1 driving licence. 40 hours per week. Hourly rate of pay €14.79. Interested candidates should forward CV to careers@luceytransport.ie

SKILLED BONERS AND Trimmers required to join Traditional Meat Company Ltd, located in Gortoney, Drumone, Oldcastle Co. Meath. Minimum 2 years experience, 39 hours per week at €27,500 pa. Also Meat Processing Operatives, 39 hours per week at €22,000 pa. Forward CV to hr@tmcirl.com

ACCOMMODATION WANTED

DUBLIN LADY n/s seeks 1 bed apt, granny flat/studio apt, urgently outside city centre for long term let, must accept HA+. Tel: 085 1261778

PLANNING APPLICATIONS

LIMERICK CITY & COUNTY COUNCIL - Maxol Limited intends to apply for planning permission for development at this site at Maxol Service Station, Dublin Road, Castletroy, Limerick. The proposed development will consist of the reconfiguration of the service station for receipt, storage and removal of 6 No. fuel pumps; removal of existing forecourt canopy and construction of a new forecourt canopy over the relocated fuel pumps, with integrated public lighting and internally illuminated signage; relocation of existing toilet sign; revisions to kerbs and internal vehicular circulation, including the removal of 1 no. car parking space; changes to levels and all site development works above and below ground. The planning application may be inspected or purchased at a fee not exceeding the reasonable cost of making a copy, at the offices of the Planning Authority, Limerick City & County Council, Offices, V94 WV78 during its public opening hours. A submission or observation in relation to the application may be made in writing to the Planning Authority on payment of the prescribed fee of €20, within the period of 5 weeks beginning on the date of receipt by the Authority, and such submissions or observations will be considered by the Planning Authority in making a decision on the application. The Planning Authority may grant permission subject to or without conditions or may refuse to grant permission.

MAYO COUNTY COUNCIL - We, Gas Networks Ireland, intend to apply for permission for works on an existing Above Ground Natural Gas Installation at Rockfield, Turrough, Castlebar, Co. Mayo. The development will consist of the replacement of approximately 2.12m of existing 2.4m high chainlink perimeter fencing including associated access/emergency gates with new 2.4m green palisade security fencing / gates and all associated site works. The planning application may be inspected or purchased at the offices of the Planning Authority in relation to the application may be made to the Authority, in writing on payment of the prescribed fee (€20) within the period of 5 weeks beginning on the date of receipt by the Authority of the application.

MAYO COUNTY COUNCIL - We, Gas Networks Ireland wish to apply to the above named authority for Planning Permission to install a 0.50m x 0.87m x 1.62m (LxWxH) above ground enclosure, to house a new natural gas DRI (District Regulating Installation) and a 3m high 'lamp post' style relief vent stack with all ancillary services and associated site at Moneen Rd DRI, Mayo Leisure Point, Castlebar, County Mayo. The planning application may be inspected or purchased at the offices of the Planning Authority and a submission or observation in relation to the application may be made to the Authority, in writing on payment of the prescribed fee (€20) within the period of 5 weeks beginning on the date of receipt by the Authority of the application.

LICENCED PREMISES

SELLING OR BUYING a 7 day liquor licence Call: (0404) 42832

WATERFORD

4* Granville Hotel Dec 1 nt DBB for 2 €145.00 051 305555

PIANOS

PRECISION PIANOS
Ireland's Premier Piano Show
Room 242 Harold's Cross Road
Dublin 6W Tel: 014967460
www.precisionpianos.com

MOTORS FOR HIRE

VAN RENTAL FROM HERTZ
Daily / Weekly Rentals
Insurance Included, 1890 826 826 / hertzvanrental.com

Planning and Development Act 2000 (as amended)

Notice of Direct Planning Application to An Bord Pleanála in Respect of a Strategic Infrastructure Development Donegal County Council

In accordance with Section 37E of the Planning and Development Act 2000, as amended, ScottishPower Renewables (UK) Limited gives notice of its intention to make an application for a ten year planning permission to An Bord Pleanála for development comprising the repowering of the existing operational Barmesmore Windfarm and related works as set out below in the townlands of Keadew Upper, Cullionboy and Clogher, County Donegal.

The proposed development will constitute the provision of the following:

Proposed Development at the existing Barmesmore Windfarm site, Keadew Upper and Cullionboy, Co. Donegal:

- (i) Decommissioning and removal of 25 no. existing wind turbines and reinstatement of the redundant site infrastructure including site roads of 600m in length;
- (ii) Construction and erection of up to 13 no. wind turbines each with maximum overall ground to blade tip heights of up to 180 metres and associated crane hardstandings and wind turbine foundations;
- (iii) Upgrade of the existing site access roads and provision of 188m of new site access road;
- (iv) Upgrade of the existing Gologh 110 kV electrical substation and compound to include for an expansion of the footprint to accommodate an AirGrid control building, a new IPP control building, car parking, grid transformer, 110kV cable chair, outdoor electrical plant and equipment, security boundary and perimeters fencing, wastewater holding tanks, groundwater well and the removal of the existing overhead line connection and demolition of the existing IPP control building;
- (v) Upgrade works associated with the existing 110kV grid connection including the undergrounding of a 1.15 km section of the existing 110 kV overhead power line, the construction of a new cable interface tower on the existing Gologh Tee 110kV overhead line, underground cable connection in the existing site access track from the new cable interface tower to the upgraded Gologh Substation and removal of the existing angle mast and end mast towers;
- (vi) 1 no. permanent meteorological mast up to 30 m in height, including a foundation, underground power and communication cabling and security fencing;
- (vii) Temporary Contractors Construction Compound;
- (viii) Site drainage network;
- (ix) Internal wind farm underground power and communications cabling;
- (x) A 15 Megawatt Energy Storage Facility and associated electrical plant, equipment and security fencing; and
- (xi) All associated site development and ancillary works.

Proposed Development at the existing Gologh Tee Grid Connection, Clogher, Co. Donegal:

- (i) Upgrade works associated with the existing 110kV grid connection including the construction of a new Cable Interface Tower under the existing Gologh Tee 110kV overhead line, underground cable connection from the new interface tower to Clogher 110kV GIS Substation, removal of the hard tee-connection between Cathaleen's Fall-Letterkenney 110kV overhead line and Cathaleen's Fall-Gologh Tee 110kV OHL, removal of the existing end mast tower and termination of the existing conductor to the new proposed cable interface tower;
- (ii) All associated site development and ancillary works.

Proposed Development on the L-2095-6 / L-2015-1 junction and the L-2015-1 Local Road, County Donegal:

- (i) Widening of the L-2095-6 / L-2015-1 junction to accommodate the delivery of turbine components along with the relocation of an existing electricity/telecommunications pole;
- (ii) Widening of the L-2015-1 road to accommodate the delivery of turbine components;
- (iii) All associated site development and ancillary works.

This application is seeking a ten-year permission and an operational period that is not time limited, or no less than 40 years.

An Environmental Impact Assessment Report (EiAR) and Natura Impact Statement (NIS) have been prepared in respect of the proposed development. The proposed development has the potential to have significant effects on the environment of Northern Ireland.

The planning application, EiAR and NIS may be inspected free of charge or purchased on payment of a specified fee (which fee shall not exceed the reasonable cost of making such a copy) during public opening hours for a period of seven weeks commencing on 6th January 2020 at the following locations:

- the Offices of An Bord Pleanála, 64 Marlborough Street, Dublin 1.
- the Offices of Donegal County Council, County House, The Diamond, Lifford, Co. Donegal.

The application may also be viewed/downloaded on the following website: www.barmesmorewindfarm.com. Submissions or observations may be made only to An Bord Pleanála ("the Board") 64 Marlborough Street, Dublin 1 during the above-mentioned period of seven weeks relating to:

- I. the implications of the proposed development for proper planning and sustainable development, and
- II. the likely effects on the environment of the proposed development, and
- III. the likely significant effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Board not later than 5.30 p.m. on 24th of February 2020. Such submissions/observations must also include the following information:

- I. the name of the person making the submission or observation, the name of the person acting on his or her behalf, if any, and the address to which any correspondence relating to the application should be sent,
- II. the subject matter of the submission or observation, and
- III. the reasons, considerations and arguments on which the submission or observation is based in full (Article 217 of the Planning and Development Regulations 2001, as amended, refers).

Any submissions or observations which do not comply with the above requirements cannot be considered by the Board.

The Board may at its absolute discretion hold an oral hearing on the application. (For further details please see "A Guide to Public Participation in Strategic Infrastructure Development" on the Board's website www.pleanala.ie).

The Board may in respect of an application for permission decide to:

- (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions,

or

- (b) refuse to grant the permission.

Any enquiries relating to the application process should be directed to the Strategic Infrastructure Development Section of An Bord Pleanála (Tel. 01-8588100). A person may question the validity of any such decision of the Board by way of an application for judicial review, under Order 84 of the Rules of the Superior Courts (S.I. No. 15 of 1986, as amended), in accordance with Section 50 of the Planning and Development Act, 2000 as amended. Practical information on the review mechanism can be accessed under the heading "Information on cases / Weekly lists" - Judicial Review of planning decisions, on the Board's website www.pleanala.ie or on the Citizens Information Service website www.citizensinformation.ie.